

Features ActivePure® Technology, proven to reduce up to 99.9% of many common types of bacteria, viruses, and mold¹

THE TECHNOLOGY

The Aerus[®] Mobile is a device that utilizes ActivePure Technology for the reduction of contaminants in the air and surfaces in smaller indoor and personal spaces. Ideal for travel, work stations, small offices, and vehicles. Patented ActivePure Technology is an advanced air and surface purification technology. It has been proved to reduce up to 99.9% of many common airborne and surface contaminants (list of tested pathogens can be found in "The Proof" section below).

ActivePure Technology does not replace the need to follow public health guidelines and should be used as complementary technology.

THE PROOF

In extensive unaffiliated lab testing, ActivePure® Technology has been proven to significantly reduce the following contaminants and pathogens¹:

- SARS-CoV-2
 - Staphylococcus aureus
 - Aspergillus niger endospores
- H1N1 Influenza
- H5N8 Influenza
- MRSA
- Bacillus globigii
- MS2 Bacteriophage
- Staphylococcus epidermidis
- PhiX-174
- Erwinia herbicola

• Candida auris

• E. coli

Murine Norovirus

- Botrytis cinerea
 - Sclerotinia sclerotiorum

Listeria monocytogenes

- Legionella pneumophila
- Aspergillus versicolor
- Clostridium difficile
- Salmonella enterica

THE BENEFITS

The Aerus® Mobile lets you bring our proprietary ActivePure Technology with you on the go, to provide 24/7 air purification and surface decontamination in small indoor spaces up to 50 sq. ft. while the unit is running. It is a proactive and effective solution when you're on the go.

- Uses ActivePure Technology, proven to reduce up to 99.9% of many common types of bacteria, viruses and mold in indoor air and surfaces¹
- Reduces VOC gases, smoke and odors without the use of ozone
- Touch sensitive settings to provide ease of operation and function
- · Base is designed with multiple mounting options
- Wire Stand allows for independent use from the base and various options to set or hang the unit
- Comes with both a 12 volt DC car adapter and a 100 240 volt 50/60 Hz AC adapter with interchangeable plugs







Inducted into the 2017 Space Technology Hall of Fame by the Space Foundation

¹ View test results at Aerusonline.com/Scientific-Proof

Aerusonline.com





Product Information	50111 Model: A1018D Meets California ozone emissions limit. CARB Certified. Validated to UL 2998	MEASORED COME EMISSIONS FROM APCO FAMILY DURING USE PHASE DOES NOT EXCEED 0.005 PPM AS TESTED BY UL 867 ULCOM/ECV
Technology Included	ActivePure® Technology - (1) 2.5" Cell	
Electrical	12 Volt DC 100 - 240 VAC 50/60Hz with adapter Power Usage: 12 Volts, 10.7 Watts Max	
Mechanical	Fuse: 2 Amp Buss type (12 Volt DC) Auto adapter only 3-speed fan	
Safety	Conforms to UL 867	
Weight & Dimensions	8 ounces (0.22 kg) 3.625″ W x 6″ H x 1.0″ D (w/o base) (9.21 cm x 15.25 cm x 2.54 cm)	
Operating Temperature	45°F - 100°F (7°C - 38°C)	
Coverage ¹	Up to 50 sq. ft. (4.6 m ²) for single occupant use. ¹ Dependent on occupancy of the space.	
Warranty	Limited 1 Year Warranty	

A ACTIVEPURES TEC		Contact Name:
Standard Contraction		Email:
TO O TO WIS OF THE TO WE AND THE TO POUL TO THE TOT THE T	()	
+ POTIVEPURE 26		Phone Number: